

10/625,590

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	11776	motor\$1 and lock\$3 and (detect\$3 or monitor\$3 or measur\$3 or sens\$3 or estimat\$3) near25 position\$1 and (abnormal or malfunction or deviat\$3) and (threshold\$1 or reference\$1 or value\$1) and (stor\$3 or program\$4 or cod\$3 or set\$4 or memory) and (control\$4 or microcomputer\$1 or microprocessor\$1)	USPAT; US-PGP UB; JPO	2004/10/14 12:29
2	BRS	L2	67	motor\$1 same lock\$3 same (detect\$3 or monitor\$3 or measur\$3 or sens\$3 or estimat\$3) near25 position\$1 same (abnormal or malfunction or deviat\$3) and (threshold\$1 or reference\$1 or value\$1) and (stor\$3 or program\$4 or memory) and (control\$4 or microcomputer\$1 or microprocessor\$1)	USPAT; US-PGP UB; JPO	2004/10/14 12:33
3	BRS	L3	68	motor\$1 same lock\$3 same (detect\$3 or monitor\$3 or measur\$3 or sens\$3 or estimat\$3) near25 position\$1 same (abnormal or malfunction or deviat\$4) and (threshold\$1 or reference\$1 or value\$1) and (stor\$3 or program\$4 or memory) and (control\$4 or microcomputer\$1 or microprocessor\$1)	USPAT; US-PGP UB; JPO	2004/10/14 12:53
4	BRS	L4	2674	motor\$1 and lock\$3 and (detect\$3 or monitor\$3 or measur\$3 or sens\$3 or estimat\$3) near25 position\$1 same (abnormal or malfunction or deviat\$4 or fault\$1) and (threshold\$1 or reference\$1 or value\$1) and (stor\$3 or program\$4 or memory or cod\$3) and (control\$4 or microcomputer\$1 or microprocessor\$1)	USPAT; US-PGP UB; JPO	2004/10/14 12:56
5	BRS	L5	2	4 and (340/542.ccls. or 340/543.ccls.)	USPAT; US-PGP UB; JPO	2004/10/14 12:57
6	BRS	L6	1	4 and (340/672.ccls. or 340/681.1.ccls.)	USPAT; US-PGP UB; JPO	2004/10/14 12:57

	Type	L #	Hits	Search Text	DBs	Time Stamp
7	BRS	L7	0	4 and (340/681.2.ccls. or 340/681.3.ccls.)	USPAT; US-PGP UB; JPO	2004/10/14 12:58
8	BRS	L8	7	4 and (49/25.ccls. or 49/26.ccls.)	USPAT; US-PGP UB; JPO	2004/10/14 13:03
9	BRS	L9	4	4 and (49/31.ccls. or 49/13.ccls.)	USPAT; US-PGP UB; JPO	2004/10/14 13:04
10	BRS	L10	2	4 and (49/29.ccls. or 49/18.ccls.)	USPAT; US-PGP UB; JPO	2004/10/14 13:12
11	BRS	L11	17	4 and (318/468.ccls. or 318/286.ccls.)	USPAT; US-PGP UB; JPO	2004/10/14 13:16
12	BRS	L12	10	4 and (318/452.ccls. or 318/445.ccls.)	USPAT; US-PGP UB; JPO	2004/10/14 13:17
13	BRS	L13	10	4 and (318/563.ccls. or 318/565.ccls.)	USPAT; US-PGP UB; JPO	2004/10/14 13:18
14	BRS	L14	3	4 and (70/57.ccls. or 70/271.ccls.)	USPAT; US-PGP UB; JPO	2004/10/14 13:19
15	BRS	L15	0	4 and (70/263.ccls. or 70/275.ccls.)	USPAT; US-PGP UB; JPO	2004/10/14 13:19

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L3	57	2 and (threshold\$1 or value\$1 or reference\$1) and (stor\$3 or program\$4 or cod\$3 or memory)	USPAT	2004/10/14 15:55
2	BRS	L2	84	1 and (alarm or alert or warning or audible or sound or visual or indicat\$3)	USPAT	2004/10/14 16:01
3	BRS	L4	0	1 and (340/825.31.ccls. or 340/825.71.ccls.)	USPAT	2004/10/14 16:11
4	BRS	L5	2	1 and (340/825.31 or 340/825.71)	USPAT	2004/10/14 16:15
5	BRS	L6	2	1 and (340/825.22 or 340/825.69)	USPAT	2004/10/14 16:13
6	BRS	L7	0	1 and (340/825.22.ccls. or 340/3.43.ccls.)	USPAT	2004/10/14 16:14
7	BRS	L8	0	1 and (340/825.72.ccls. or 340/825.71.ccls.)	USPAT	2004/10/14 16:16
8	BRS	L9	1	1 and (340/825.72 or 340/825.71)	USPAT	2004/10/14 16:16
9	BRS	L1	103	motor\$1 same lock\$3 same (detect\$3 or monitor\$3 or sens\$3 or measur\$3 or estimat\$3) near30 position\$1 same (abnormal or malfunction or deviat\$4)	USPAT	2004/10/14 17:00
10	BRS	L10	1	1 and (stor\$3 or program\$4 or cod\$3 or memory) same "locking position"	USPAT	2004/10/14 16:58
11	BRS	L11	127	door\$1 and motor\$1 and (stor\$3 or program\$4 or cod\$3 or memory) same "locking position"	USPAT	2004/10/14 16:59
12	BRS	L12	16	11 and (abnormal or malfunction or deviat\$4)	USPAT	2004/10/14 17:00